

Container Dimensions

20' Steel Dry Cargo Container :



Exterior

Length	Width	Height
20'-0"	8'-0"	8'-6"
6.058 m	2.438 m	2.591 m

Interior

Length	Width	Height
19'-4 13/16"	7'-8 19/32"	7'-9 57/64"
5.898 m	2.352 m	2.385 m

MGW	Weight		Door Opening	
	TARE	NET	Width	Height
52,910 lb	5,140 lb	47,770 lb	7'-8 1/8"	7'-5 3/4"
67,200 lb	5,290 lb	61,910 lb	2.343 m	2.280 m
24,000 kg	2,330 kg	21,670 kg	CU.M	CU.FT
30,480 kg	2,400 kg	28,080 kg	33.1	1169

40' Steel Dry Cargo Container



Exterior

Length	Width	Height
--------	-------	--------

12.192 m

2.438 m

2.591 m

Interior

Length

Width

Height

39'-5 45/64"

7'-8 19/32"

7'-9 57/64"

12.032 m

2.352 m

2.385 m

Weight

Door Opening

MGW

TARE

NET

Width

Height

7'-8 1/8"

7'-5 3/4"

67,200 lb

8,820 lb

58,380 lb

2.343 m

2.280 m

CU.M

CU.FT

30,480 kg

4,000 kg

26,480 kg

67.5

2385

40' Hi-Cube Steel Dry Cargo Container



Exterior

Length

Width

Height

40'-0"

8'-0"

9'-6"

12.192 m

2.438 m

2.896 m

Interior

Length

Width

Height

39'-5 45/64"

7'-8 19/32"

8'-9 15/16"

12.032 m

2.352 m

2.69 m

Weight

Door Opening

			7'-8 1/8"	8'-5 49/64"
67,200 lb	9,260 lb	57,940 lb	2.343 m	2.585 m
			CU.M	CU.FT
30,480 kg	4,200 kg	26,280 kg	76.2	2690

45' Hi-Cube Steel Dry Cargo Container



Exterior

Length	Width	Height
45'-0"	8'-0"	9'-6"
13.716 m	2.438 m	2.896 m

Interior

Length	Width	Height
44'-5 7/10"	7'-8 19/32"	8'-10 17/64"
13.556 m	2.352 m	2.698 m

Weight

Door Opening

MGW	TARE	NET	Width	Height
			7'-8 1/8"	8'-5 3/4"
67,200 lb	10,580 lb	56,620 lb	2.340 m	2.585 m
			CU.M	CU.FT
30,480 kg	4,800 kg	25,680 kg	86.1	3040



Exterior

Length	Width	Height
20'-0"	8'-0"	8'-6"
6.058 m	2.438 m	2.591 m

Interior

Length	Width	Height
18'- 17/32"	7'-6 15/32"	7'-5 39/54"
5.500 m	2.298 m	2.276 m

Nominal

Weight

Cubic Capacity	MGW	TARE
	67,180 lb	6,700 lb
1,016 cu.ft.	30,480 kg	3,020 kg
	CU.M	CU.FT
28.8 cu.m.	86.1	3040

Cooling capacity	Air exchange rate		Type	Temp.control precision
w(kcal)/C(F)	CFM	cu.m/hr	MHI	
11,000(9,460)/1.7(35)	0-106	0-180	CPE14-2BAIIIIEU	+0.25C
6,280(5,400)/-18(0)				
10,550(9,073)/2(35)	0-142	0-240	CARRIER	+0.25C
6,150(5,289)/-18(0)			69NT40-551-501	





Exterior		
Length	Width	Height
40'-0"	8'-0"	9'-6"
12.192 m	2.438 m	2.896 m

Interior		
Length	Width	Height
37'-11 55/64"	7'-6 15/32"	8'-4 5/32"
11.585 m	2.290 m	2.544 m

Nominal	Weight	
Cubic Capacity	MGW	TARE
	74,960 lb	10,490 lb
2,384 cu.ft.	34,000 kg	4,760 kg
67.5 cu.m.		

Cooling capacity	Air exchange rate		Type	Temp.control precision
	w(kcal)/C(F)	CFM	cu.m/hr	
11,000(9,460)/1.7(35)	0-106	0-180	CPE16-2BAIIIIEV	+-0.25C
6,280(5,400)/-18(0)				
10,550(9,073)/2(35)	0-142	0-240	CARRIER 69NT40-551-501	+-0.25C
6,150(5,289)/-18(0)				



Exterior		
Length	Width	Height
40'-0"	8'-0"	9'-6"
12.192 m	2.438 m	2.896 m

Interior		
Length	Width	Height
37'-11"	7'-6"	8'-2"
11.563 m	2.286 m	2.507 m

Nominal	Weight	
Cubic Capacity	MGW	TARE
	67,200 lb	9,480 lb
2,340 cu.ft.	30,480 kg	4,300 kg
66.27 cu.m.		

Cooling capacity	Air exchange rate		Type	Temp.control precision
CFM	cu.m/hr	w(kcal)/C(F)	MHI	
11,000(9,460)/1.7(35)	0-106	0-180	CPE14-2BAIIIA/ES	+/-0.25C
6,280(5,400)/-18(0)				

20' Full Height Open Top Container



Exterior		
Length	Width	Height
20'-0"	8'-0"	8'-6"
6.058 m	2.438 m	2.591 m

Interior		
Length	Width	Height
19'-4"	7'-8 1/2"	7'-8 1/8"
5.898 m	2.352 m	2.342 m

Weight			CU.M	CU.FT
MGW	TARE	NET		
44,800 lb	4,850 lb	39,950 lb		
20,320 kg	2,200 kg	18,120 kg	32.5	1148

20 ' Flat Rack Container with Four Freestanding Posts



Exterior		
Length	Width	Height
20'-0"	8'-0"	8'-6"
6.058 m	2.438 m	2.591 m

Interior		
Length	Width	Height
18'-6 7/16"	6'-7 59/64"	6'-9 39/64"
5.650 m	2.030 m	2.073 m

Weight		
MGW	TARE	NET

30,000 kg

2,790 kg

27,210 kg

20' Flat Rack Container with Collapsible End



Exterior

Length	Width	Height
20'-0"	8'-0"	8'-6"
6.058 m	2.438 m	2.591 m

Interior

Length	Width	Height
18'-5 62/64"	7'-3 46/64"	7'-3 59/64"
5.638 m	2.228 m	2.233 m

Weight

MGW	TARE	NET
74,950 lb	6,370 lb	68,580 lb
34,000 kg	2,890 kg	31,110 kg

20' Fuel Tank Container



Exterior

Length	Width	Height
20'-0"	8'-0"	8'-6"

Weight		
MGW	TARE	NET
36,000 kg	3,385 kg	32,615 kg

Capacity	Design Temp.
24,000 litres	20°C to 130°C


40' Flat Rack Container with Four Freestanding Posts



Exterior		
Length	Width	Height
40'-0"	8'-0"	8'-6"
12.192 m	2.438 m	2.591 m

Interior		
Length	Width	Height
38'-7 15/16"	6'-7 59/64"	6'-4 1/2"
11.784 m	2.030 m	1.943 m

Weight		
MGW	TARE	NET
99,210 lb	11,908 lb	87,302 lb
45,000 kg	5,400 kg	39,600 kg



Exterior		
Length	Width	Height
40'-0"	8'-0"	8'-6"
12.192 m	2.438 m	2.591 m

Interior		
Length	Width	Height
38'-7 39/64"	7'-3 46/64"	6'-4 61/64"
11.776 m	2.228 m	1.955 m

Weight		
MGW	TARE	NET
99,210 lb	10,140 lb	89,070 lb
45,000 kg	4,600 kg	40,400 kg

40' Full Height Open Top Container



Exterior		
Length	Width	Height
40'-0"	8'-0"	8'-6"
12.192 m	2.438 m	2.591 m

Length	Width	Height
39'-5"	7'-8 1/2"	7'-8 1/8"
12.034 m	2.352 m	2.330 m

Weight			CU.M	CU.FT
MGW	TARE	NET		
67,200 lb	9,040 lb	58,160 lb		
30,480 kg	4,100 kg	26,380 kg	65.9	2327

Width	Height
8'-0"	8'-6"
2.438 m	2.591 m